EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S28	5176	gam\$2 ADJ software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 18:12
S29	37	S28 SAME query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 18:13
S31	677	717/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:53
S32	1	"10/769075".app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:58
S33	6048	hashing ADJ (function OR algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59
S34	5706	hashing ADJ (function OR algorithm)	US-PGPUB; USPAT	OR	ON	2007/12/03 11:59
S 35	49	S34 AND "application identifier"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59
S36	6048	hashing ADJ (function OR algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59

S37	5706	hashing ADJ (function OR algorithm)	US-PGPUB; USPAT	OR	ON	2007/12/03 11:59
S38	3	S37 AND "application identifier" AND "graphical icon"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59
S39	44	09/476686	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59
S40	14	(hash\$3 ADJ (function OR algorithm)) SAME "application identifier"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S41	148316	(hash\$3 ADJ (function OR algorithm)) SAME database query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S42	20	(hash\$3 ADJ (function OR algorithm)) SAME "database query"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S43	29165	hash\$3 ADJ (function OR algorithm OR sum\$1 OR value\$1 OR code\$1 OR table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S44	25088	hash\$3 ADJ (function OR algorithm OR sum\$1 OR value\$1 OR code\$1 OR table\$1)	US-PGPUB; USPAT	OR	ON	2007/12/03 12:00
S45	22	S44 SAME "application identifier"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S46	22	S44 SAME "application identifier"	US-PGPUB; USPAT	OR	ON	2007/12/03 12:00

S47	1	S46 AND "graphical icon"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S48	12	S44 AND pictogram	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S49	2	"5953451".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S50	239	S44 AND ("graphical icon" OR "icon image")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S51	3	S44 SAME("graphical icon" OR "icon image")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:01
S52	3	S44 SAME ("graphical icon" OR "icon image")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:01
S 53	34	(US-20070250716-\$ or US-20050021971-\$ or US-20050021971-\$ or US-2002010031066-\$ or US-20020174341-\$ or US-20020174341-\$ or US-200501749341-\$ or US-20060111080-\$ or US-20050257209-\$ or US-20060236074-\$ or US-20060106769-\$ or US-20060106769-\$ or US-20040255289-\$), did. or (US-6487665-\$ or US-655160-\$ or US-6574736-\$ or US-5953451-\$), did.	US-PGFUB; USPAT; USOCR; FPRS; EPO; JPO; DEEM/ENT; IBM_TDB	OR	ON	2007/12/03 12:01

\$54	18	(US-20070250716-\$ or US-20050021971-\$ or US-20050021971-\$ or US-2001030166-\$ or US-20020012441-\$ or US-2002012441-\$ or US-20060111080-\$ or US-2005027209-\$ or US-20060168355-\$ or US-20060168355-\$ or US-20060169769-\$ or US-20060159707-\$ or US-20060159707-\$ or US-20060169769-\$ or US-20040255289-\$, did. or (US-6407465-\$ or US-5605160-\$ or US-5605160-\$ or US-5605140-\$	US PGPUB; USPAT	OR	ON	2007/12/03
S55	4	S54 and metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:01
S56	277	(query NEAR database) WITH metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:01
S57	2809	hash\$3 SAME binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 18:15
S58	1763	hash\$3 WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 18:16
S59	82	hash\$3 WITH icon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 18:44
S60	34	hash\$3 WITH (any ADJ (binary OR digital))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 19:29

S62	130	"icon data" AND binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 19:42
S63	19	"icon data" WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 19:43
S64	249	"icon" WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 19:46
S66	3	(US-20010031066-\$ or US-20020137217-\$).did. or (US-5953451-\$).did.	US-PGPUB; USPAT	OR	ON	2007/12/09 11:47
S67	766	gaming ADJ3 interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 13:37
S68	33	gaming ADJ3 interface WITH ("operating system" or OS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 13:38
S69	93	hash\$3 WITH icon\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 14:21
S70	34	(hash\$3 WITH icon\$1) SAME display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 14:22
S71	59	S69 NOT S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/08/20 14:43

S72	6	09/672754	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	:ON	2008/08/20 14:50
S73	152	hash\$3 SAME icon\$1 SAME display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 15:00
S74	118	S73 NOT S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 15:00
S75	64	("20070183632" "20060236074" "2006028641" "2006002821" "200500373" "200501371961" "200510373" "2005123175" "7116806" "20070165914" "7356171" "6851051" "2005005098" "6785891" "2004177988" "2003067090" "2004177988" "6470342" "2002014747918" "6470342" "2002065258" "2004003266" "20050257214" "20040025022" "6468355" "2000018162" "6055403" "20050171961").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEEWMENT; IBM_TDB	ŌR	ON	2008/09/02
S76	25	S75 AND hash\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	MON	2008/09/02 11:50

S77	13	S75 AND hash\$4 AND (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 11:52
S78	2	"6487662".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:07
S79	2	₱ ADJ "1420323"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:14
S80	0	EP ADJ "2000302892"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:17
S81	2	EP ADJ "1043698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:18
S82	4	("7398283" "20070022444").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:05
S83	4	("7398283" "20040022444").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:06
S84	1431	icon ADJ data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:20

S85	21	(icon ADJ data) WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:20
S86	8	("5862260" "5915027" "5945932" "5940135"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:43
S87	14	08/497662	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:03
S88	1	08/497662.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:03
S89	26	(icon ADJ data) SAME binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 14:54
S90	21	(icon ADJ data) WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 14:55
S91	5	S89 NOT S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 14:55
S92	4888	hash\$3 WITH name\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/09/22 15:16

S93	662	hash\$3 WITH ("file name")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 15:16
S94	41	hash\$3 ADJ ("file name")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 15:16
S95	7	"6111950"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 18:45
S96	0	extract\$3 WITH icon WITH (binary ADJ file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 17:05
S97	1240	extract\$3 WITH icon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 17:06
S98	85	extract\$3 NEAR3 icon NEAR3 data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 17:06
S99	54	(US-200201377217-\$ or US-200301773747-\$ or US-200301773747-\$ or US-200301773747-\$ or US-2005003289-\$ or US-2005003289-\$ or US-20050031666-\$ or US-2003003668-\$ or US-2003003584-\$ or US-20030035941-\$ or US-20020029341-\$ or US-20020035001-\$ or US-20050005953-\$ or US-2005005953-\$ or US-2005005953-\$ or US-20050097503-\$ or US-200500097503-\$ or US-20050097503-\$ or US-200500097503-\$ or US-20050000000000000000000000000000000000	US-PGPUB; USPAT; DERWIENT	OR	OFF	2010/07/28 22:08

		US-20040003266-\$ or US-20040003266-\$ or US-200050172010-\$ or US-20050172010-\$ or US-20050172010-\$ or US-20050102528-\$ or US-200302147866-\$ or US-20030217638-\$), did. or (US-5664099-\$ or US-6030367-\$ or US-6810398-\$ or US-6810398-\$ or US-5953451-\$ or US-630368-\$ or US-630368-\$ or US-630368-\$ or US-630368-\$ or US-630368-\$ or US-630368-\$ or US-6436355-\$ or US-6436355-\$ or US-6565961-\$ or US-6565961-\$ or US-65951-\$ or US-659591-\$ or US-6111302-\$ or US-611502-\$ or US-611502-\$ or US-6157605-\$ or US-61577605-\$ or US-6157605				
S100	4	\$99 AND ((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 22:11
S101	40435	((global\$2 ADJ unique ADJ identif\$7) OR GUI D OR WMI D)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 22:44
S102	1203	(((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND hash\$4 AND meta\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 22:58

S103	463	((global\$2 ADJ unique ADJ identif\$7) OR GUI D OR WMI D) AND (hash\$4 WITH identif\$8) AND meta\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	***OFF	2010/07/28 23:00
S104	304	((global\$2 ADJ unique ADJ identif\$7) OR GUI D OR WMI D) AND (hash\$4 WITH identif\$8) AND meta\$5 AND (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 23:01
S105	30	((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMI D) AND (hash\$4 WITH identif\$8) AND meta\$5 AND (hash\$4 WITH (icon\$1 OR image \$1 OR glyph\$2 OR picture\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 23:02
S106	2082	query WITH database WITH metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2011/06/02 19:14
S107	357	quer\$3 WITH database WITH metadata WITH (application OR program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 19:15
S108	16	(quer\$3 WITH database WITH metadata WITH (application OR program)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 19:16
S109	118	(quer\$3 WITH database WITH metadata WITH (application OR program)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 19:16
S110	36	quer\$3 WITH database WITH metadata WITH (application OR program) WITH identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2011/06/02 20:06

S111	3	(quer\$3 WITH database WITH metadata WITH (application OR program) WITH identifier) AND hash\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2011/06/02 20:06
S112	68	quer\$3 WITH database WITH metadata WITH (application OR program) WITH identif \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 20:10
S113	2	(quer\$3 WITH database) AND ((application OR program) WITH identif \$4) AND ((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND (hash\$4 WITH identif\$8) AND meta\$5 AND (hash\$4 WITH (icon \$1 OR image\$1 OR glyph \$2 OR picture\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2011/06/02 20:45
S114	68	(quer\$3 WITH database) AND ((application OR program) WITH identif \$4) AND ((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND meta\$5 AND (hash \$4 WITH (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 20:47
S115	67	S114 NOT S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 20:47
S116	1	((quer\$3 WITH database) WITH ((application OR program) WITH (identif \$4)) AND ((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND meta\$5 AND (hash \$4 WITH (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2011/06/02 20:48

S117	244	(quer\$3 WITH database) AND ((application OR program) WITH identif \$4) AND ((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND meta\$5 AND hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MOR		2011/06/02 20:51
S118	159	(quer\$3 WiTH database) AND ((application OR program) WITH identif \$4) AND ((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND ((application OR program) WITH meta\$5) AND hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 21:09
S119	3	("20040192440" "7846023").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 21:52
S120	1203	hash\$4 AND ((icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH (application OR program) WITH identif \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 21:59
S121	123	hash\$4 AND (icon\$1 WITH (application OR program) WITH identif \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 22:00
S122	2	(hash\$4 SAME (icon\$1 WITH (application OR program) WITH identif \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 22:01
S123	354	(hash\$4 AND ((icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH (application OR program) WITH identif \$4)) AND (hash\$4 WITH (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/02 22:03

S124	44	(hash\$4 WTH ((icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH (application OR program) WITH identif \$4)) AND (hash\$4 WITH (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MOR	oriente de la companie de la compani	2011/06/02 22:03
S125	0	(quer\$3 WITH database) WITH ((global \$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) WITH (first ADJ identif\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	TON N	2011/06/03 22:47
S126	12	(quer\$3 WITH database) WITH (second ADJ identif\$7) WITH (first ADJ identif \$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/03 22:47
S127	33	(hash\$4 WITH (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH subset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/15 14:03
S128	1339	(hash\$4 AND ((icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH subset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/15 14:17
S129	O	(hash\$4 AND ((icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH subset) WITH (software NEAR2 application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/15 14:18
S130	1	(hash\$4 AND ((icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH subset) WITH (software NEAR2 application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/15 14:18
S131	98	hash\$4 AND ((icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH subset WITH application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/15 14:21

S132	1	hash\$4 WITH ((icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH subset WITH application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	X00.	2011/10/15 14:21
S133	8	("20030023856" "20030196111" "20040123116" "20040153873" "5440739" "5896382" "6209111" "6307837"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/10/15 14:23
S134	3	S133 AND hash	US-PGPUB; USPAT; USOCR	OR	ON	2011/10/15 14:23
S135	3	S133 AND hash\$3	US-PGPUB; USPAT; USOCR	OR	ON	2011/10/15 14:23
S136	3	(metadata ADJ service) WITH gam\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/15 15:23
S137	0	(meta-data ADJ service) WITH gam\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/15 15:24
S138	948	(metadata WITH gam \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/15 15:25
S139	198	(metadata WITH gam\$3 WITH application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OS	2011/10/15 15:25
S140	17	(metadata WITH gam\$3 WITH identif\$7 WITH application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/15 15:26
S141	137	(icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH subset WITH associat\$3 WITH (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:14

S142	137	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) WITH subset WITH associat\$3 WITH (application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:15
S143	4	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) W1TH subset W1TH associat\$3 W1TH (application)) AND hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:15
S144	1	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) WITH subset WITH associat\$3 WITH (application ADJ program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:17
S145	46	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) WITH subset WITH (application ADJ program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:18
S146	316	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) WITH subset WITH (correspond\$3 OR associat\$3) WITH (application OR program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:25
S147	24	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) WITH subset WITH (correspond\$3 OR associat\$3) WITH (application OR program)) AND hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:25
S148	229	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) WITH set WITH (correspond\$3 OR associat\$3) WITH (application OR program)) AND hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:33
S149	21	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) WITH set WITH (correspond\$3 OR associat\$3) WITH (application ADJ2 program)) AND hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:33

S 150	1	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) WITH (correspond \$3 OR associat\$3) WITH (application ADJ2 program)) WITH hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2011/10/16 17:48
S151	139	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) near2 files) WITH (corresponds OR associat\$3) WITH (application ADJ2 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 17:49
S152	13	(((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) near 2 files) WITH (correspond\$3 OR associat\$3) WITH (application ADJ2 program)) AND (hash OR (unique ADJ identif \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	SON	2011/10/16 17:51
S153	1	((icon\$1 OR image\$1 OR glyph\$2 OR picture \$1) near2 files) WITH subset WITH (hash OR (unique ADJ identif\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 18:02
S154	36	(icon\$1 OR image\$1 OR glyph\$2 OR picture\$1) WITH subset WITH (hash OR (unique ADJ identif\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 18:02
S155	1	(no ADJ match) WITH (manual ADJ search)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 20:53
S156	1	query WITH match WITH (manual ADJ search)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/16 20:54

S157	80	(US-20020137217-\$ or	US-PGPUB;	OR	ON	2011/10/16
		US-20030177347-\$ or	USPAT;	******		21:21
		US-20040255289-\$ or	DERWENT			
		US-20050030280-\$ or				
		US-20020032489-\$ or				
		US-20050251682-\$ or			į	
		US-20050273729-\$ or				
		US-20010031066-\$ or			ì	
		US-20030023584-\$ or		-		
		US-20020116509-\$ or				
		US-20020029341-\$ or				
		US-20030177137-\$ or				
		US-20020085001-\$ or		-		
		US-20050005098-\$ or				
		US-20020147918-\$ or				
		US-20040022444-\$ or				
		US-20050267935-\$ or			l	
		US-20050097503-\$ or		***		
		US-20040003266-\$ or				
		US-20040025022-\$ or			i	
		US-20050172010-\$ or				
		US-20020038348-\$ or		-		
		US-20050102528-\$ or		***		
		US-20020066026-\$ or				
		US-20030187866-\$ or		and a second		
		US-20030107000-\$ 01 US-20030217038-\$).did.		4000	l	
		or (US-20020133515-\$		and a second		
		or US-20040107342-\$ or		******		
		US-20050131900-\$ or		0		
		US-20040111728-\$ or		e e e e e e e e e e e e e e e e e e e		
		US-20040111728-\$ 01 US-20090248646-\$ or		and the		
				1		
		US-20040192440-\$ or				
		US-20040148306-\$ or		e e e e e e e e e e e e e e e e e e e		
		US-20050053239-\$ or		200		
		US-20030023856-\$ or		200		
		US-20020049738-\$ or		out to		
		US-20030088778-\$ or		200		
		US-20040044894-\$).did.		200		
		or (US-5664099-\$ or US-		No.	1	***
		6092076-\$ or US-		venera		
		7046848-\$ or US-		**		
		6347373-\$ or US-				***
		6810398-\$ or US-				***
		5953451-\$ or US-				
		7246235-\$ or US-				***
		6330858-\$ or US-				
		6181838-\$ or US-			•	***
		7063615-\$ or US-				***
		6499110-\$ or US-				
		6463535-\$ or US-				
		7398283-\$ or US-				
	i	5915027-\$ or US-			***	
		5862260-\$ or US-			***	
		5643086-\$ or US-		4		
	ĺ	6639614-\$ or US-			***	
		5617568-\$ or US-		*****		
		7412449-\$ or US-			1	l .

S159	3	S157 AND (20-byte OR ("20" ADJ byte))	US-PGPUB; USPAT; DERWENT	OR	ON	2011/10/16 21:28
\$158	20	S157 AND ((graphical ADJ user ADJ interface) OR GUI)	US-PGPUB; USPAT; DERWENT	OR	ON	2011/10/16 21:22
		6625591-\$ or U\$- 7155487-\$ or U\$- 6111950-\$ or U\$- 5680558-\$ or U\$- 5945982-\$ or U\$- 5945982-\$ or U\$- 5945982-\$ or U\$- 6167405-\$) did. or (U\$- 7620648-\$ or U\$- 6178504-\$ or U\$- 61848342-\$ or U\$- 6591011-\$ or U\$- 6591011-\$ or U\$- 605008-\$ or U\$- 6321232-\$ or U\$- 6321232-\$ or U\$- 6321232-\$ or U\$- 6396038-\$) did. or (EP- 113032-\$ or U\$- 649638-\$) did. or (EP-				

EAST Search History (Interference)

10/16/2011 11:08:07 PM

C:\ Documents and Settings\ gpollock\ My Documents\ EAST\ Workspaces\ Completed\ 10769075. wsp

<This search history is empty>